


DG D3200UV

Hybrid UV Printer KONICA 6988H



Experience the Future of Printing with
new DG UV Printers series





»»» SPECIFICATIONS

Printing

Print Head
KONICA-6988H

Number of Print Head
4-16 pics (can be customized)

Printing Height
2-50mm

Printing Resolution
480 × 1080 / 480 x 1440 dpi

Max Printing Width
3,200mm

Ink

UV Ink
4Colors+W

Ink Type
UV Curing Ink

Printing Speed

Configuration	6 Pass (480*1080)	8 Pass (480*1440)
4H(CMYK)	24m ² /h	16m ² /h
12H(CMYK)	64m ² /h	48m ² /h
9H(C+W+C)	24m ² /h	16m ² /h
9H(C+W+C)	48m ² /h	32m ² /h

Scheme



One row (CMYK)




Three row (CMYK)



Three row (C+W+C)



Three row (W+C+C)



»»» SPECIFICATIONS

Media

Media Drive

Roll to Roll / Flatbed

Infrared Ray + fan Drying

Equipped

Media Type

Applicable for roll and sheet materials, mainly used in leather, home decoration, advertising industries.

Operational Environment

Temperature

Operating: 20°C~26°C

Humidity

Operating: 40~60%

* Environmental influences can affect print quality.


Others

Rip Software

Maintop, RIIN, Photoprint (Optional)

UV Curing Lamp

Circulating Water Cooling System



SPECIFICATIONS

Dimensions

Printer

L5435 W1390 H1635mm

Packing

L5585 W1540 H1700mm

Weight

Net Weight

3300kg

Gross Weight

3980kg

Electricity

Maximum Power


> 20A; 6.0KW

Input Power

AC220V/110V(±5%),50HZ/60HZ



DIGITAL GRAPHICS



Innovative Printing Solutions


www.dgi-me.com

www.dgi-ksa.com

DG D3200UV

Hybrid UV Printer KONICA 6988H

Industrial heavy structure design, super large and wide belt platform



Experience the Future of Printing with
new DG UV Printers series

