

DG Q1804UV

UV ROLL TO ROLL Printer EPSON I3200-U1



Experience the Future of Printing with
new DG UV Printers series



>>> SPECIFICATIONS



Printing

Print Head

EPSON i3200-U1

Number of Print Head

3 / 4 pics

Printing Height

2-50mm

Printing Resolution

6PASS: 720*1800, 8PASS: 720*2400

Max Printing Width

1740mm

Ink

UV Ink

CMYK /W

Ink Type

UV Curing Ink



Printing Speed


6Pass: 29m2/h 8 Pass: 20m2/h (CMYK 4H)

6Pass: 17m2/h 8Pass: 12m2/h (CMYK+W 4H)

6Pass:10m2/h 8Pass:7m2/h (CMYK+W+V 3H)

Scheme





>>> SPECIFICATIONS

Media

Media Drive

Roll to Roll

Infrared Ray + fan Drying

Equipped

Media Type

Applicable for roll and sheet materials, mainly used in leather, home decoration, advertising industries.

Operational Environment

Temperature

Operating: 20°C~26°C

Humidity

Operating: 40~60%

* Environmental influences can affect print quality.

Others

Rip Software

Maintop, RIIN, Photoprint (Optional)

UV Curing Lamp

Circulating Water Cooling System



>>> SPECIFICATIONS

Dimensions

Printer

L2990*W920*H1850mm

Packing

L3380*W760*H850mm

Dimensions

Chiller

L465*W465*H456mm

635*505* 490mm (Chiller)

Electricity

Maximum Power

2500W

Input Power

AC220V/110V($\pm 5\%$),50HZ/60HZ

>>> DIGITAL GRAPHICS



Innovative Printing Solutions

www.dgi-me.com

www.dgi-ksa.com

DG Q1804UV

UV ROLL TO ROLL Printer EPSON I3200-U1



Experience the Future of Printing with
new DG UV Printers series

